

## SOLPUGIDA OF CANADA (Poster Paper)

Robert G. Holmberg, Faculty of Science, Athabasca University, Athabasca, Alberta T0G 2R0 and  
Donald J. Buckle, 620 Albert Avenue, Saskatoon, Saskatchewan S7N 1G7

While most species of the arachnid order Solpugida occur in subtropical and warm temperate regions, seven species of *Eremobates* and *Hemerotrecha*, of the family Eremobatidae, occupy arid grassland habitats in western Canada. This paper presents the descriptions for four new species and the extended geographical ranges of three others.

Table 1 Solpugid distribution in Canada.

Species	British Columbia	Alberta	Saskatchewan
<i>Eremobates docolora</i>		X	X
<i>Eremobates scaber</i>	X		
<i>Eremobates</i> species #1	X		
<i>Eremobates</i> species #2	X		
<i>Hemerotrecha denticulata</i>	X		
<i>Hemerotrecha</i> species #1		X	X
<i>Hemerotrecha</i> species #2	X		

April 1992

ISSN 0071-0709

PROCEEDINGS OF THE 38<sup>TH</sup> ANNUAL MEETING OF THE



# Entomological Society of Alberta

Held jointly with the Entomological Society of Canada  
Banff, Alberta October 1-5, 1990

Volume 38, page 11.